




ABIATTO (CYS EN 998-1:2010 , CLASS CR)


ADVANCE BUILDING INDUSTRIES Borg El Arab –Industrial Zone – Phase 4 P.O. BOX 158 Alexandria – Egypt 12
CYS EN 998-1:2010 Coloured Rendering Mortar (CR) for external and internal use CSII Reaction to fire: Class A1 Adhesion: 0,55 N/mm ² – FP:B Water absorption: W0 Water vapour diffusion coeff.: μ 25 (tab. value) Thermal conductivity ($\lambda_{10, dry}$): P = 50% $\lambda = 0,47$ W/mK (tab. values) Durability: (against freeze/thaw): excellent (evaluation based on provisions valid indented place of use of the mortar) Dangerous Substances: See technical data and related marking

CYPRUS

Head Office: Michali Zeipekki 23, 4525 Moni - Limassol, Cyprus.

Tel: (+357) 25 632 642, Fax: (+357) 25 632 091, E-mail: zeiplast@zeiplast.com

EGYPT

A.B.I. Borg El-Arab, Alexandria, Egypt, Industrial Zone, Phase 4.

Tel: 00203 4595967/8/9, Fax: 00203 4595971, E-mail: ad_building@yahoo.com

SAUDI ARABIA

P.M.I. Al Khumrah Industrial Area, Jeddah, Saudi Arabia. Tel/Fax: 00966 266 29901/2/3, E-mail: pmisajed@yahoo.com

UAE

Zeiplast Emirates. Delma St., Abu Dhabi, U.A.E P.O.Box 42591

Tel: 00971 24 456789, Fax: 00971 24 456788 E-mail: zeiplast@eim.ae



EC DECLARATION OF CONFORMITY

We
ADVANCE BUILDING INDUSTRIES
Borg El Arab –Industrial Zone – Phase 4
P.O. BOX 158
Alexandria – Egypt

Hereby declare that the product ABIATTO (Coloured Rendering Mortar/Plaster (CR) for external and internal use CSII) is produced in our factory and have the following essential characteristics:

Reaction to fire: Class A1

Adhesion: $0,15 \text{ N/mm}^2$ – FP:B

Water absorption: W0

Water vapour diffusion coeff: μ 25 (tab. value)

Thermal conductivity ($\lambda_{10, \text{dry}}$): P = 50% $\lambda = 0,47 \text{ W/mK}$ (tab. values)

CYPRUS

Head Office: Michali Zeipekki 23, 4525 Moni - Limassol, Cyprus.

Tel: (+357) 25 632 642, Fax: (+357) 25 632 091, E-mail: zeiplast@zeiplast.com

EGYPT

A.B.I. Borg El-Arab, Alexandria, Egypt, Industrial Zone, Phase 4.

Tel: 00203 4595967/8/9, Fax: 00203 4595971, E-mail: ad_building@yahoo.com

SAUDI ARABIA

P.M.I. Al Khumrah Industrial Area, Jeddah, Saudi Arabia. Tel/Fax: 00966 266 29901/2/3, E-mail: pmisajed@yahoo.com

UAE

Zeiplast Emirates. Delma St., Abu Dhabi, U.A.E P.O.Box 42591

Tel: 00971 24 456789, Fax: 00971 24 456788 E-mail: zeiplast@eim.ae



Durability: (against freeze/thaw): excellent (evaluation based on provisions valid indented place of use of the mortar)

Dangerous Substances: See technical data and related marking

and conforms to the Annex ZA of the standard EN 998-1 : 2010.

Name: Aris Zeipekkis

Date: 1st of January 2012

Position: Chairman

Signature:

CYPRUS

Head Office: Michali Zeipekki 23, 4525 Moni - Limassol, Cyprus.

Tel: (+357) 25 632 642, Fax: (+357) 25 632 091, E-mail: zeiplast@zeiplast.com

EGYPT

A.B.I. Borg El-Arab, Alexandria, Egypt, Industrial Zone, Phase 4.

Tel: 00203 4595967/8/9, Fax: 00203 4595971, E-mail: ad_building@yahoo.com

SAUDI ARABIA

P.M.I. Al Khumrah Industrial Area, Jeddah, Saudi Arabia. Tel/Fax: 00966 266 29901/2/3, E-mail: pmisajed@yahoo.com

UAE

Zeiplast Emirates. Delma St., Abu Dhabi, U.A.E P.O.Box 42591

Tel: 00971 24 456789, Fax: 00971 24 456788 E-mail: zeiplast@eim.ae